

Bringing people and sound, together.

kantoaudio.com

# Audio Solutions.

# Bringing people and sound, together.

At Kanto Audio, we create solutions that blend innovation, aesthetics, and precision, making hi-fi listening experiences both approachable and transformative.

Our products strike a balance between performance and imagination—functional yet expressive, purpose-driven yet playful. Whether you're a gamer, vinyl enthusiast, or cinephile, our speakers deliver outstanding clarity and versatility for all the ways you listen.

In an industry often seen as exclusive, we're here to make hi-fi welcoming, easy to enjoy, and lastly, fun. To us, it's about more than just the technology; because great sound has the possibility to create meaningful moments.

Share your set up with us @kantoaudio - we'd love to see where our sound takes you.







# TUK Premium Powered Speakers



- Matte Black: TUKMB
- Matte White: TUKMW

POWER OUTPUT: 260 W Peak (130 W Total RMS)

TWEETER: 28 x 35 mm Air Motion Transformer (AMT)

WOOFER: 5.25" Aluminum Concave Cone



AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 50 HZ – 20 KHZ

HIGH/LOW PASS FILTER: 80 HZ (SELECTABLE)

BOTTOM MOUNTING HOLE: 1/4"– 20

#### INPUTS:

- Bluetooth<sup>®</sup> 4.2 with Qualcomm<sup>®</sup> aptX<sup>™</sup> HD and AAC Codecs
- 1x USB-B
- 1 x Optical (TOSLINK™)
- 1 x RCA with Dedicated Phono Pre-amp

#### **OUTPUTS**:

- 1 x Sub-Out Selectable High/Low Pass Filter
- 1x USB Charge 5 V 2 A
- 1 x 3.5 mm Headphone Out

Our pinnacle powered speaker, Tuk offers crystal-clear sound and unmatched versatility. Featuring AMT tweeters and multiple connectivity options, Tuk delivers exceptional performance in any setting.

PRODUCT DIMENSIONS (W/D/H):  $7" \times 8.5" \times 10.9"$ TOTAL WEIGHT: 9.5 kg (21 LB)



Powered Speaker System



- Matte Black: RENMB
- Matte Grey: RENMG
- Matte Orange: RENMO
- Matte White: RENMW
- Matte Blue: RENMU



POWER OUTPUT: 200 W Peak (100 W Total RMS)

TWEETER: 1" Silk Dome

WOOFER: 5.25" Aluminum Concave Cone

AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 50 Hz - 22 kHz

HIGH/LOW PASS FILTER: 80 Hz (Automatic)

BOTTOM MOUNTING HOLE: 1/4"- 20

#### INPUTS:

- Bluetooth® 5.3
- 1x HDMI ARC with CEC
- 1x USB-C
- 1 x Optical (TOSLINK™)
- 1 x RCA
- 1 x 3.5 mm AUX

OUTPUTS:


- 1 x Sub-Out with Automatic High/ Low Pass Filter
- 1x USB Charge 5 V 1 A

Ren blends soundbar simplicity with DSP-tuned stereo precision, offering seamless TV connectivity, subwoofer support, and two sound modes for an immersive home theater experience.

PRODUCT DIMENSIONS (W/D/H): 7" x 8.5" x 10.9"

TOTAL WEIGHT: 8.4 kg (18.5 lb)

2 AUDIO SOLUTIONS AUDIO SOLUTIONS







Matte Black: ORA4MB

Matte White: ORA4MW

POWER OUTPUT: 140 W Peak (70 W Total RMS)

POWERED OUTPUT (Per Tweeter): 12 W RMS

POWERED OUTPUT (Per Woofer): 23 W RMS

TWEETER: 3/4" Silk Dome

WOOFER: 4" Aluminum Concave Cone with Magnetic Shielding

AMPLIFIER TYPE: Class D Bi-Amplified

FREQUENCY RESPONSE: 60 Hz - 22 kHz

HIGH/LOW PASS FILTER: 80 Hz (Automatic)

REAR & BOTTOM MOUNTING HOLE: 1/4"- 20

INPUTS:

• Bluetooth® 5.0

- 1xRCA
- 1x USB-C

**OUTPUTS**:

• 1 x Sub-Out with Automatic High/Low

Pass Filter

Distortion-free playback and referencequality audio, with deeper bass than Ora. Ora4 leans further into pro-audio with flat, full-range response, modern connectivity and auto high-pass filtering.

PRODUCT DIMENSIONS (W/D/H):  $4.7" \times 6.7" \times 8.3"$ 

TOTAL WEIGHT: 3.8 kg (8.3 lb)



Reference Desktop Speakers



Matte Black: ORAMB

Matte White: ORAMW

Matte Pink: ORAMP

POWER OUTPUT: 100 W Peak (50 W Total RMS) POWERED OUTPUT (Per Tweeter): 9 W RMS

POWERED OUTPUT (Per Woofer): 16 W RMS

TWEETER: 3/4" Silk Dome

WOOFER: 3" Paper Cone with Magnetic Shielding

AMPLIFIER TYPE: Class D Bi-Amplified

FREQUENCY RESPONSE: 70 Hz - 22 kHz

HIGH/LOW PASS FILTER: 100 Hz (Automatic)

REAR & BOTTOM MOUNTING HOLE: 1/4"- 20

INPUTS:

• Bluetooth® 5.0

- 1xRCA
- 1x USB-C

**OUTPUTS**:

• 1 x Sub-Out with Automatic High/Low

Pass Filter

Ora delivers studio-grade sound in a compact design, bridging the gap between computer speakers and studio monitors. Enjoy easy connectivity for both streaming and analog gear, along with a built-in crossover for subwoofer integration.

PRODUCT DIMENSIONS (W/D/H): 3.9" x 5.6" x 6.9

TOTAL WEIGHT: 2 kg (4.4 lb)

AUDIO SOLUTIONS **AUDIO SOLUTIONS** 





Compact Desktop Speakers

Onyx: UKIDMBO

Pumice: UKIDSBB

BB

Cream: UKIDSBC

,00

Cornflower: UKIDSBU

Sage: UKIDSBN

Suge. OKIDODIV

POWER OUTPUT: 100 W Peak (50 W Total RMS)

POWERED OUTPUT (Per Tweeter): 9 W RMS

POWERED OUTPUT (Per Woofer): 16 W RMS

TWEETER: 3/4" Silk Dome

WOOFER: 3" Paper Cone





AMPLIFIER TYPE: Class D Bi-Amplified

FREQUENCY RESPONSE: 80 Hz - 22 kHz

HIGH/LOW PASS FILTER: 100 Hz (Automatic)

REAR MOUNTING HOLE: 1/4"- 20

ACTIVE SPEAKER POSITION: Selectable L/R Switch

INPUTS:

• Bluetooth® 5.3

•1x USB-C

•1xRCA

OUTPUTS:
• 1 x Sub-Out

•1 x 3.5 mm

RCA Headphone Out

Compact bookshelf speakers with a distinctive clamshell design and speckled, stoneware-inspired finishes. Exceptional clarity in a pint-sized package—ideal for compact spaces and those new to Hi-Fi.

PRODUCT DIMENSIONS (W/D/H): 4.4" x 4.3" x 6.5"

TOTAL WEIGHT: 1 kg (2.2 lb)



YU2
Powered Desktop Speakers



Matte Black: YU2MB

Walnut: YU2WALNUT

Matte White: YU2MW

owered besktop speakers

POWER OUTPUT: 100 W Peak (50 W Total RMS)

TWEETER: 3/4" Silk Dome

WOOFER: 3" Composite



AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 80 Hz - 20 kHz

INPUTS:
• 1 x 3.5 mm AUX

OUTPUTS:

•1x Sub-Out

• 1x USB-B

Yu2 delivers big performance in a small footprint. With 3" composite drivers, and %" silk dome tweeters, it produces crisp highs, clear mids, and impressive low end — perfect for any desk or workspace.

PRODUCT DIMENSIONS (W/D/H): 3.9" x 5.3" x 5.9"

TOTAL WEIGHT: 2.7 kg (6 lb)

S AUDIO SOLUTIONS AUDIO SOLUTIONS





Powered Bookshelf Speakers

Bookshelf speakers that fill your space

with full-impact, detailed audio. Yu6

features a powerful 200 W amplifier,

plus a built-in phono pre-amp and

everyday listening.

Bluetooth® connectivity for versatile,



Matte Black: YU6MB

Matte White: YU6MW

Walnut: YU6WALNUT

POWER OUTPUT: 200 W Peak (100 W Total RMS)

TWEETER: 1" Silk Dome

WOOFER: 5.25" Kevlar®

AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 50 Hz - 20 kHz

BOTTOM MOUNTING HOLE: 1/4"- 20



- Bluetooth® 4.0 with Qualcomm® aptX™ and AAC Codecs
- 1 x RCA w/ Phono Switch

#### OUTPUTS:

- •1xSub-Out
- •1x USB Charge 5 V 1 A

• 1 x 3.5 mm mini-jack AUX

• 2 x Optical (TOSLINK™)

PRODUCT DIMENSIONS (W/D/H): 6.9" x 8.1" x 10.7"

TOTAL WEIGHT: 9.4 kg (20.1 lb)



**Powered Bookshelf Speakers** 



Matte Black: YU4MB

Matte White: YU4MW

Walnut: YU4WALNUT

POWER OUTPUT: 140 W Peak (70 W Total RMS)

TWEETER: 1" Silk Dome

WOOFER: 4" Kevlar®

AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 60 Hz - 20 kHz

BOTTOM MOUNTING HOLE: 1/4"- 20



#### INPUTS:

- Bluetooth® 4.0 with Qualcomm® aptX™ and AAC Codecs
- 1 x 3.5 mm mini-jack AUX
- 1 x RCA w/ Phono Switch
- 2 x Optical (TOSLINK™)

Bring your music to life with Yu4's rich, PRODUCT DIMENSIONS (W/D/H): 5.5" x 7.5" x 8.7" TOTAL WEIGHT: 5.7 kg (12.5 lb)

room-filling sound. Crafted with 140 W of peak power, 4" Kevlar® drivers, and I" silk dome tweeters, Yu4 delivers hi-fi clarity through its built-in phono preamp, Bluetooth® connectivity, and a variety of other convenient inputs.

OUTPUTS:

•1xSub-Out

•1x USB Charge 5 V1A

AUDIO SOLUTIONS **AUDIO SOLUTIONS** 





YUP6

Passive Bookshelf Speakers





Vinyl White: YUP6W



POWER HANDLING: 100 W per speaker

TWEETER: 1" Silk Dome

WOOFER: 5.25" Kevlar®

IMPEDANCE: 6 Ohms

SENSITIVITYE: 89 dB (2.83 V/1m)

FREQUENCY RESPONSE: 50 Hz - 20 kHz

SPEAKER TERMINALS: Knurled Binding Post

BOTTOM MOUNTING HOLE: 1/4"- 20

Yu Passive 5.25" builds on its predecessor with deeper bass and more power, filling larger spaces with balanced, natural audio. Designed to complement any interior and engineered with 1" silk dome tweeters and our enduring 5.25" Kevlar® woofers.

PRODUCT DIMENSIONS (W/D/H):  $6.9" \times 8.1" \times 10.7"$ 

TOTAL WEIGHT: 8 kg (17.4 lb)



Passive Bookshelf Speakers



Vinyl Black: YUP4

Vinyl White: YUP4W

POWER HANDLING: 70 W per speaker

TWEETER: 1" Silk Dome

WOOFER: 4" Kevlar®



IMPEDANCE: 4 Ohms

SENSITIVITYE: 86 dB (2.83 V/lm)

FREQUENCY RESPONSE: 60 Hz - 20 kHz

SPEAKER TERMINALS: Knurled Binding Post

BOTTOM MOUNTING HOLE: 1/4"- 20

Enjoy true-to-source audio with Yu Passive 4". Its high-fidelity sound and versatile design pair with any amp, enhancing home theaters or desktop setups, and mounts securely for optimal performance.

PRODUCT DIMENSIONS (W/D/H): 5.5" x 7.5" x 8.7"

TOTAL WEIGHT: 5 kg (11 lb)

AUDIO SOLUTIONS **AUDIO SOLUTIONS** 



# YU Powered Bookshelf Speakers



Vinyl Black: YU

Vinyl White: YUW

POWER OUTPUT: 140 W Peak (70 W Total RMS)

TWEETER: 1" Silk Dome

WOOFER: 4" Kevlar®



AMPLIFIER TYPE: Class D

FREQUENCY RESPONSE: 60 Hz - 20 kHz

BOTTOM MOUNTING HOLE: 1/4"- 20

#### INPUTS:

• Bluetooth® 4.2 with Qualcomm® aptX™

OUTPUTS:

•1x Sub-Out

• 1xRCA

The durable, vinyl-wrapped Yu keeps it simple without sacrificing performance. With Bluetooth® and RCA inputs, Yu makes connecting easy and delivers smooth, natural audio — with deep, impactful bass you can feel.

PRODUCT DIMENSIONS (W/D/H): 5.5" x 7.5" x 8.7"

TOTAL WEIGHT: 5.2 kg (11.5 lb)

# **KONTO**Subwoofers.









Vinyl Black: SUB8VMB

Vinyl White: SUB8VMW



POWER HANDLING: 300 W Peak (150 W Total RMS)

DRIVER: 8" Paper Cone

AMPLIFIER TYPE: Class D

FREQ. RESPONSE: 35 Hz - 175 Hz

#### FFATURES:

- · Phase Control Switch
- · Adjustable Low Pass Filter
- Switchable Auto-Standby Mode

INPUT: 1 x RCA L/R Line Level Input

Powerful, articulate low-end from a sealed cabinet under one cubic foot. Sub8 fits where others won't, offering rich, room-filling depth.

PRODUCT DIMENSIONS (W/D/H): 11" x 11" x 11.9"

TOTAL WEIGHT: 8.3 kg (18.3 lb)



SUB6
Powered Subwoofer

Vinyl Black: SUB6VMBVinyl White: SUB6VMW

POWER HANDLING: 200 W Peak (100 W Total RMS)

DRIVER: 6" Paper Cone

AMPLIFIER TYPE: Class D

FREQ. RESPONSE: 40 Hz - 175 Hz



#### FEATURES:

- · Phase Control Switch
- Adjustable Low Pass Filter
- Switchable Auto-Standby Mode

INPUT: 1 x RCA L/R Line Level Input


Quick, precise bass that adds depth and clarity to any small space – Sub6 is carefully engineered to enhance, not overwhelm.

PRODUCT DIMENSIONS (W/D/H): 8.7" x 8.7" x 9.5"

TOTAL WEIGHT: 5.0 KG (11 LB)

4 AUDIO SOLUTIONS AUDIO SOLUTIONS

# **капто** Speaker Stands.







SP6HD

SP9
Desktop Speaker Stands




Desktop Speaker Stands


HEIGHT: 6"

TOP PLATE SIZES: 4" OR 7"

HEIGHT: 8.3"

TOP PLATE SIZES: 3" OR 4"





Black: SP6HD & SP9

White: SP6HDW & SP9W

FF ATURES:

• Mounting holes with 1/2"-20 screws

MATERIALS: Steel with closed cell foam padding













**S2** 

**Angled Desktop Stands** 

SUGGESTED SPEAKERS: Ora, Yu2, and similar speakers up to 6 lbs (3.6 kg) **S4** 

Angled Desktop Stands

SUGGESTED SPEAKERS: Ora4, Yu, Yu4, Yu Passive 4" and similar speakers up to 8.3 lbs (3.6 kg) **S6** 

Angled Desktop Stands

SUGGESTED SPEAKERS: Tuk, Ren, Yu6, Yu Passive 5.25", and similar speakers up to 20 lbs (9 kg) SE2

**Elevated Desktop Stands** 

SUGGESTED SPEAKERS: Ora, Yu2, and similar speakers up to 7.1 lbs (3.2 kg) SE4

Elevated Desktop Stands


SUGGESTED SPEAKERS: Ora4, Yu4, Yu, YuPassive 4" and similar speakers up to 9 lbs (4.1 kg) SE<sub>6</sub>


**Elevated Desktop Stands** 


SUGGESTED SPEAKERS: Tuk, Ren, Yu6, Yu Passive 5.25", and similar speakers up to 22 lbs (10 kg)














■ Black: S2, S4, S6

White: S2W, S4W, S6W

FEATURES:

• TILT: 16°

• S4 & S6: mounting holes with ¼"-20 screws

MATERIALS: Steel with closed cell foam padding



Black: SE2, SE4, SE6

White: S2EW, SE4W, SE6W

Pink: SE2P

FEATURES:

• TILT: 16°

• SE4 & SE6: mounting holes with ¼"-20 screws

MATERIALS: Steel with silicone padding



19

SPEAKER STANDS

SPEAKER STANDS







**S10** 

Center Channel Speaker Stand



Black: S10

#### SUGGESTED SPEAKERS:

Ideal for compact center channel speakers or high-end soundbars up to 19 lbs (8.6 kg)

TILT: 12°


#### MATERIALS:

Solid steel with painted finish

#### FEATURES:

• Foam padding helps reduce resonance





# **ST28**

Floor Speaker Stands

HEIGHT: 28"


TOP PLATE: 5.9"x 7.9"


**ST34** 

Floor Speaker Stands

HEIGHT: 34"

TOP PLATE: 5.9"x 7.9"





- Black: ST28 & ST34
- White: ST28W & ST34W

#### FEATURES:

- Internal cable management
- Interchangeable spiked/dome feet
- Top plate with 4 holes for direct mounting

MATERIALS: Steel column with MDF base



O SPEAKER STANDS SPEAKER STANDS











# SP26PL

Floor Speaker Stands

HEIGHT: 26"

TOP PLATE OPTIONS: 4.3" x 7.1" OR 7" x 7"

### SP32PL

Floor Speaker Stands

HEIGHT: 32"

TOP PLATE OPTIONS: 4.3" x 7.1" OR 7" x 7"

**SX22** 

Fillable Floor Speaker Stands

HEIGHT: 22"

TOP PLATE OPTIONS: 5.2" x 6.5" OR 6.5" x 9.3"

55.9 cm 22"

11.2 cm

28.5"

SX26

Fillable Floor Speaker Stands

HEIGHT: 26"


TOP PLATE OPTIONS: 5.2" x 6.5" OR 6.5" x 9.3"


SX30

Fillable Floor Speaker Stands


HEIGHT: 30"


TOP PLATE OPTIONS: 5.2" x 6.5" OR 6.5" x 9.3"











- Black: SP26PL & SP32PL
- White: SP26PLW & SP32PLW

#### FEATURES:

- Top plates rotate 30° left or right
- Includes spike & dome feet
- Internal cable management
- Mounting holes with 1/2"-20 screws

MATERIALS: Steel with closed cell foam padding



- Black: SX22, SX26, SX30
- White: SX22W, SX26W, SX30W

#### FEATURES:

- Separate channels for filling and cable management
- Adjustable spike feet with removable silicone pad

MATERIALS: Steel with closed cell foam padding




23

2 SPEAKER STANDS SPEAKER STANDS

# Headphone Hooks & Stands.







H1

Headphone Stand




H2
Headphone Stand




- Black: H1
- White: HIW
- Silver: H1S

Black: H2



FEATURES: Compatible with most over-ear headphones MATERIALS: Steel with curved silicone padding



FEATURES: Compatible with most over-ear headphones MATERIALS: Steel with curved silicone padding





### **H3** Headphone Stand





Headphone Hook



Black: H3







FEATURES: Compatible with most over-ear headphones

MATERIALS: Steel with curved silicone padding

FEATURES:

• Compatible with most over-ear headphones

• 3M adhesives & screws provided for mounting

MATERIALS:

Steel with curved silicone padding


## Kanto

Product Summaries.



	YU	YU2	YU4	YU6	UKI	ORA	ORA4	REN	TUK
SKU									
TWEETER	1" Silk Dome	3/4" Silk Dome	1" Silk Dome	1" Silk Dome	3/4" Silk Dome	3/4" Silk Dome	3/4" Silk Dome	1" Silk Dome	28 x 35 mm AMT
WOOFER	4" Kevlar®	3" Composite	4" Kevlar®	5.25" Kevlar®	3" Paper Cone	3" Paper Cone with Magnetic Shielding	4" Aluminum Concave Cone with Magnetic Shielding	5.25" Aluminum Concave Cone	5.25" Aluminum Concave Cone
AMPLIFIER TYPE	Class D	Class D	Class D	Class D	Class D Bi-Amplified	Class D Bi-Amplified	Class D Bi-Amplified	Class D	Class D
POWER OUTPUT	140 W Peak (70 W RMS)	100 W Peak (50 W RMS)	140 W Peak (70 W RMS)	200 W Peak (100 W RMS)	100 W Peak (50 W RMS) 9 W RMS/Tweeter 16 W RMS/Tweete	100 W Peak (50 W RMS) 9 W RMS/Tweeter 16 W RMS/Tweeter	140 W Peak (70 W RMS) 12 W RMS/Tweeter 23 W RMS/Tweeter	200 W Peak (100 W RMS)	260 W Peak (130 W RMS)
FREQ. RESPONSE	60 Hz - 20 kHz	80 Hz - 20 kHz	60 Hz - 20 kHz	50 Hz - 20 kHz	80 Hz - 22 kHz	70 Hz - 22 kHz	60 Hz - 22 kHz	50 Hz - 22 kHz	50 Hz - 20 kHz
INPUTS									
RCA	•		• Phono Switch	Phono Switch	•	•	•	•	● RCA & Phono RCA
3.5 mm AUX		•	•	•				•	
BLUETOOTH	•		•	•	•	•	•	•	•
USB		● USB-B			USB-C	● USB-C	• USB-C	• USB-C	● USB-B
OPTICAL			• X2	• X2				•	•
HDMI ARC								•	
OUTPUTS									
SUB-OUT	•	•	•	•	•	•	•	•	•
3.5 mm HEADPHONE OUT					•				•
USB CHARGE			•	•				•	•
1/4"-20 MOUNTING POINT	• Bottom		• Bottom	Bottom	• Rear	• Rear	• Rear & Bottom	• Bottom	Bottom

PRODUCT TYPE	TILTED STANDS			CENTER CHANNEL		ELEVATED STANDS			RISING STANDS		
	S2	S4	S6	S10	SE2	SE4	SE6	SP6HD	SP9		
SKU											
COLOUR	Black / White	Black / White	Black / White	Black	Pink / Black / White	Black / White	Black / White	Black / White	Black / White		
SUPPORTS UP TO	6 lbs	8 lbs	20 lbs	19 lbs	7.1 lbs	9 lbs	22 lbs	30 lbs	30 lbs		
SPEAKER DAMPENING	Foam Padding	Foam Padding	Foam Padding	Optional Foam Feet	Silicone Padding	Silicone Padding	Silicone Padding	Foam Padding	Foam Padding		
TOP PLATE DIMENSIONS	2.8" x 4" (7.2 cm x 10.1 cm)	3.9" x 6.1" (9.9 cm x 15.6 cm)	4.8" x 7.1" (12.2 cm x 18 cm)	15.7" x 5.7" (39.9 cm x 14.5 cm)	3.1" x 4.7" (8 x 11.9 cm)	3.9" x 6.3" (10 x 15.9 cm)	5.3" x 7.4" (13.5 x 18.8 cm)	4.3" x 7.1" (11 x 18 cm)  o  7" x 7" (17.8 x 17.8 cm)	3.1" x 4.7" (8 x 11.9 cm) o  4.3" x 7.1" (11 x 18 cm)		
TILT ANGLE	16°	16°	16°	12°	6°	6°	6°				
HEIGHT	1.2" (3.4 cm)	2" (6 cm)	1.7" (4.3 cm)	3.8" (9.7 cm)	3.8" (9.7 cm)	5.6" (14.1 cm)	6.9" (11.75 cm)	6" (15.2 cm)	8.3" (21 cm)		
SURFACE DAMPENING	Foam Padding	Foam Padding	Foam Padding	Foam Padding	Silicone Padding	Silicone Padding	Silicone Padding	Foam Padding	Foam Padding		
ATTACHMENT SCREWS		•	•			•	•	•	•		
CABLE MANAGEMENT								•	•		
RECOMMENDED SPEAKERS	Yu2, Ora	Yu4, Yu, YuP6, Ora4	Yu6, Tuk, YuP6, Ren	Ideal for center channel speakers and soundbars	Yu2, Ora	Yu4, Yu, YuP4, Ora	Yu6, YuP6, Tuk, Ren	Yu4, Yu6, YuP4,YuP6, Tuk, Ren, Ora4	Yu2, Yu4, Yu, YuP4, Ora, Ora4		
		*Works with similarly sized speakers				*Works with similarly sized speakers					





Where to find us:

kantoaudio.com @kantoaudio 1-888-848-2643 sales@kantoliving.com

Bringing people and sound, together.

